

Message Text

LIMITED OFFICIAL USE

PAGE 01 MANILA 05449 140308Z
ACTION SY-05

INFO OCT-01 EA-07 ISO-00 /013 W
-----140714Z 063316 /20
R 140255Z APR 77
FM AMEMBASSY MANILA
TO SECSTATE WASHDC 8339
INFO AMCONSUL HONG KONG

LIMITED OFFICIAL USE MANILA 5449

FOR A/SY/OPS/T FROM TSO

HONG KONG FOR OIC/RTC

E.O. 11652: NA
TAGS: ASEC
SUBJECT: TSO LAB ALARM INSTALLATION

PLEASE PURCHASE ONE (1) EACH ADT MAGNETIC SWITCH WITH
BIAS MAGNET. THIS SWITCH WILL BE INSTALLED ON NEW
CLASS FIVE (5) VAULT DOOR ORDERED FOR THIS OFFICE.
SULLIVAN

LIMITED OFFICIAL USE

NNN

Message Attributes

Automatic Decaptioning: X
Capture Date: 01-Jan-1994 12:00:00 am
Channel Indicators: n/a
Current Classification: UNCLASSIFIED
Concepts: n/a
Control Number: n/a
Copy: SINGLE
Sent Date: 14-Apr-1977 12:00:00 am
Decaption Date: 01-Jan-1960 12:00:00 am
Decaption Note:
Disposition Action: RELEASED
Disposition Approved on Date:
Disposition Case Number: n/a
Disposition Comment: 25 YEAR REVIEW
Disposition Date: 22 May 2009
Disposition Event:
Disposition History: n/a
Disposition Reason:
Disposition Remarks:
Document Number: 1977MANILA05449
Document Source: CORE
Document Unique ID: 00
Drafter: n/a
Enclosure: n/a
Executive Order: N/A
Errors: N/A
Expiration:
Film Number: D770129-0362
Format: TEL
From: MANILA
Handling Restrictions: n/a
Image Path:
ISecure: 1
Legacy Key: link1977/newtext/t19770458/aaaabxxb.tel
Line Count: 36
Litigation Code IDs:
Litigation Codes:
Litigation History:
Locator: TEXT ON-LINE, ON MICROFILM
Message ID: 173f23a5-c288-dd11-92da-001cc4696bcc
Office: ACTION SY
Original Classification: LIMITED OFFICIAL USE
Original Handling Restrictions: n/a
Original Previous Classification: n/a
Original Previous Handling Restrictions: n/a
Page Count: 1
Previous Channel Indicators: n/a
Previous Classification: LIMITED OFFICIAL USE
Previous Handling Restrictions: n/a
Reference: n/a
Retention: 0
Review Action: RELEASED, APPROVED
Review Content Flags:
Review Date: 23-Feb-2005 12:00:00 am
Review Event:
Review Exemptions: n/a
Review Media Identifier:
Review Release Date: n/a
Review Release Event: n/a
Review Transfer Date:
Review Withdrawn Fields: n/a
SAS ID: 2808025
Secure: OPEN
Status: NATIVE
Subject: TSO LAB ALARM INSTALLATION PLEASE PURCHASE ONE (1) EACH ADT MAGNETIC SWITCH WITH BIAS MAGNET. THIS SWITCH WILL BE INSTALLED ON NEW
TAGS: ASEC
To: STATE
Type: TE
vdkgvkey: odbc://SAS/SAS.dbo.SAS_Docs/173f23a5-c288-dd11-92da-001cc4696bcc
Review Markings:
Margaret P. Grafeld
Declassified/Released
US Department of State
EO Systematic Review
22 May 2009
Markings: Margaret P. Grafeld Declassified/Released US Department of State EO Systematic Review 22 May 2009